

COMPANY INTRODUCTION

No List Description		Description		
1	Located	300km to Shanghai Pudong airport(car 4 hours)		
2	Establish time	2008		
3	Certificate	CE ,SGS , ISO9001:2015,COC		
4	Export percent	90%		
5	Market	Asian ,south or north America, Europe		
6	Advertisement	Alibaba top one supplier Exhibition		
7	QC system	Raw material ,brand inspection ,precision parts ,assembly check Inspection before shipment Picture ,video send to buyer Loading picture Container picture		
8	Sales service	Technical support for ever :365dx24hx60min Technical engineer :MR.JI (851439108@qq.com) Online service:Lily(sales2@dchpack.com) Material Purchase manager:Tina(master@dchpack.com) Sales chief executive :Jessica(sales6@dchpack.com) Salesman: Marina(sales4@dchpack.com)		
9	Guarantee	Quality ,delivery time by CEO and trade assurance Time :12month		
10	Main production	Filling machine, capping machine, labeling machine, sealing machine, printing machine, carton machine, wrapping machine		

INSTRUCTION



Opeation principle

A03 type manual paste and liquid filler adopt piston structure, it can fill paste and liquid quantified from 5-50ml. Structure is simple and reasonable, manual easy operation, without any energy.

Main parameter

Product name	Small manual filling machine 20-40 times / minute	
Working speed		
Total Weight	15kg	
Filling nozzle diameter	7mm×8mm (inner diameter × Outer diameter)	
Filling range	0-50ml (External knob for adjustment)	
Dimensions	$340\times340\times780~mm$	
Filling accuracy	±1%	
Hopper volume	10L	

APPLICATION







Core Components

1 sus 304 CNC cutting stable base

② sus 304 food graded hopper

3 Anti - drip design



1. Stable base support whole body

» The stable stainless steel base assures the machine to work steadily and smoothly







2. Satinless steel 304 material, thickened to 1.5mm

» Do polish for both inside and outside hopper

A grade SS304
Thickened to 1.5mm
Both sides polishing







Low grade qualiy
Thin layer
Curved


3. Anti - drip Design

» Filling nozzle welding process, make sure the nozzle firmly





Glue process, easy fall off



Double-layer double-sided used sealing ring, 100% guarantee No drip!

double sealing ring







single sealing ring

Fluoro rubber oil sealing, Heat resistance, oxidation resistance, oil resistance, corrosion resistance

Fluoro rubber



VS



common rubber

PACKING

• Step 1: Shrink wrapping the machine body and hopper, to avoid scratching.

• Step 2: Put more foam inside the carton, to best protect the hopper.

• Step 3: Final carton wrapping with film and tape. Sticker the carton mark. Most safety arrived you.







▶ PART BUYER SHOW TIME ◀

HAIR CREAM



USA BUYER

A great man, always working hard every day !! Order 3 times to incease his product filling.

LIP GLOSS



COLUMBIA BUYER

A Beauty and kindness girl, order machine for self also for her friends as gift. PEAMUT BUTTER



JAPAN BUYER

A very rigorous boss, thanks for his good feedback in alibaba. WHOLE SALER






NIGERIA BUYER

A happy and great mother, has 3 daughters. Do wholesale in local, order every month.

▶ PART ORDER SHOW TIME ◀



▶ Customer good feedback ◀













QC guarantee

- ① QC personnel will carefully check the quality of the machine and do power-on test before the package leaves the warehouse.
- 2 There are special QC equipment to help QC personnel complete the inspection.
- ③QC stipulates that after each inspection, the quality inspection report must be filled in to ensure the quality of customers' goods.

machine inspection.mp4

After-sales service

MACHINE HAVE ONE YEAR WARRANTY!!

- ① 24hours*365days*60minutes online service. engineers, online sales, managers are always online.
- ② We have a complete set of after-sales service process.

 Technical engineer :MR.JI (851439108@qq.com) Online service:Lily(sales2@dchpack.com)

 Material Purchase manager:Tina(master@dchpack.com) Sales chief executive :Jessica(sales6@dchpack.com)
- ③ If there are quality or other problems with our products, our company's team will discuss it together and solve it, if it is our responsibility, we will never refuse to make you satisfied.

SPECIAL SERVICE FOR OUR AGENT





		买家规模指数 🔾	环比涨幅	
NO 1	美国	118	-11.6%	
NO 2	印度	84	-6.2%	
NO 3	尼日利亚	43	+3.7%	
NO 4	英国	38	-1.8%	
NO 5	秘鲁	36	+11.8%	
NO 6	加拿大	35	-23.9%	
NO 7	菲律宾	34	+10.3%	
NO 8	印尼	32	+13.2%	
NO 9	沙特阿拉伯	32	-4.6%	
NO 10	马来西亚	31	+19.4%	



Export A or B grade price, base on order quantity

Open Market

Professional team support you do market annlysis, open more market

Payment deposit


Payment despoit help to reduce finanical pressure

Team support

Company whole team sourcing, desgin, production and shipping team will give professional support



Our Team



How to clean the machine?



When the machine leaves the factory.

The piston is lubricated to protect the machine.

We recommend that you clean the machine before using it.





Clean the Machine

How to Adjust filling range?



What's the easy consumer spare parts?

Package Content:

- 1. A03 Manual Filling Machine X1.
- 2. Nozzles (4mm/8mm) X1.
- 3. O-Rings
- 4. Inner hexagon spanner X2.
- 5. Guide Manual X1.

Can order **more rings** for backup



AMAZON Price much more cheaper than you, why order from you?

01

Amazon: No professional technical team give customer the professional recommend. As know, the most suitable is the best, not the cheapest.

Our team: We have professional technical and after sale team, give 24 hours*7 days on line service.

02

Amazon: No shop, No supply. Which can not guarantee the products are the most upgraded model, not the latest production.


Our shop: R&D department do different design. Help customers increase production capacity, and obtain the maximum benefit.


Visit our websit, https://dchpack.en.alibaba.com Support different kinds of packing product

Amazon: No inspection team

See the bad feedback from one of our buyer. "Amazon, all come broken" Too bad!!

Our QC:





▶ MACHINE UPGRADING ◀

Bigger hopper 20L



Bigger hopper 30L filling range



Add mixing function



